

Message Text

LIMITED OFFICIAL USE

PAGE 01 PRAGUE 01964 261140Z
ACTION FBOE-00

INFO OCT-01 EUR-12 ISO-00 A-01 SY-05 /019 W
-----061664 270659Z /17

R 261112Z JUL 78
FM AMEMBASSY PRAGUE
TO SECSTATE WASHDC 5847

LIMITED OFFICIAL USE PRAGUE 1964

E.O. 11652: N/A
TAGS: ABLD, AFSP, ASEC
SUBJECT: ACCESS CONTROL FOR RESIDENCE GROUNDS

REF. PRAGUE A-35

1. THE RESIDENCE PROPERTY IS COMPRISED OF THE RESIDENCE, DCMR, GATEHOUSE AND A FIVE APARTMENT STAFF HOUSE. THE PROPERTY HAS FOUR DRIVEWAYS ON A SITE ACREAGE OF APPROXIMATELY 5 ACRES.

2. UNDER THE PRESENT ACCESS SYSTEM ONE SERVICE ENTRANCE IS SECURED BY A KEY LOCK AND THE REMAINING THREE ENTRANCES (RESIDENCE, DCMR AND STAFF HHOUSE) ARE OPEN. THE REGIONAL SECURITY OFFICER RECOMMENDED IN PRAGUE A-35 THAT A CONTROLLED ACCESS ON THE ABOVE THREE GATES IS NEEDED. BY HAVING A CONTROLLED ACCESS PUBLIC (PEDESTRIAN) TRAFFIC ENTERING THE GROUNDS WOULD BE RESTRICTED TO THOSE AUTHORIZED.

3. THE EMBASSY RECOMMENDS THAT INTERCOM SYSTEMS BE INSTALLED ON ALL FOUR GATES TERMINATING IN THE RESPECTIVE RESIDENCES. A CCTV SYSTEM WOULD BE INSTALLED ON THE AMBASSADOR'S DRIVEWAY WHICH CANNOT BE VIEWED FROM HIS QUARTERS. ALL OTHER GATES CAN BE VIEWED BY THE RESPECTIVE OCCUPANTS. THE AMBASSADOR'S MAIN ENTRANCE
LIMITED OFFICIAL USE

LIMITED OFFICIAL USE

PAGE 02 PRAGUE 01964 261140Z

AND STAFF HOUSE ENTRANCE WOULD HAVE ELECTRIC DRIVE GATE OPENERS. THE REMAINING TWO GATES WOULD HAVE REMOTE CONTROLLED ELECTRIC LOCKS.

4. THE COST BREAKDOWN FOR THE ABOVE SYSTEMS IS AS FOLLOWS:

(A) FOUR COMPLETE INTERCOM SYSTEMS WITH
SUFFICIENT STATIONS FOR ALL OCCUPANTS \$ 4,560
(B) TWO ELECTRIC DRIVE GATE OPENERS WITH
REMOTE VEHICULAR CONTROLS \$ 5,000
(C) ESTIMATED SHIPPING COSTS \$ 3,000
TOTAL HT \$12,560

5. ACTION REQUESTED: DEPARTMENT'S APPROVAL FOR
INSTALLATION AND FISCAL DATA TO PROCURE AND INSTALL
THE ABOVE SYSTEM.

6. DECONTROL DECEMBER 31, 1979.
BYRNE

LIMITED OFFICIAL USE

NNN

Message Attributes

Automatic Decaptioning: X
Capture Date: 01 jan 1994
Channel Indicators: n/a
Current Classification: UNCLASSIFIED
Concepts: n/a
Control Number: n/a
Copy: SINGLE
Draft Date: 26 jul 1978
Decaption Date: 01 jan 1960
Decaption Note:
Disposition Action: RELEASED
Disposition Approved on Date:
Disposition Case Number: n/a
Disposition Comment: 25 YEAR REVIEW
Disposition Date: 20 Mar 2014
Disposition Event:
Disposition History: n/a
Disposition Reason:
Disposition Remarks:
Document Number: 1978PRAGUE01964
Document Source: CORE
Document Unique ID: 00
Drafter: n/a
Enclosure: n/a
Executive Order: N/A
Errors: N/A
Expiration:
Film Number: D780307-1023
Format: TEL
From: PRAGUE
Handling Restrictions: n/a
Image Path:
ISecure: 1
Legacy Key: link1978/newtext/t19780718/aaaaapia.tel
Line Count: 75
Litigation Code IDs:
Litigation Codes:
Litigation History:
Locator: TEXT ON-LINE, ON MICROFILM
Message ID: 1efb576c-c288-dd11-92da-001cc4696bcc
Office: ACTION FBOE
Original Classification: LIMITED OFFICIAL USE
Original Handling Restrictions: n/a
Original Previous Classification: n/a
Original Previous Handling Restrictions: n/a
Page Count: 2
Previous Channel Indicators: n/a
Previous Classification: LIMITED OFFICIAL USE
Previous Handling Restrictions: n/a
Reference: 78 PRAGUE A-35
Retention: 0
Review Action: RELEASED, APPROVED
Review Content Flags:
Review Date: 16 may 2005
Review Event:
Review Exemptions: n/a
Review Media Identifier:
Review Release Date: n/a
Review Release Event: n/a
Review Transfer Date:
Review Withdrawn Fields: n/a
SAS ID: 1879985
Secure: OPEN
Status: NATIVE
Subject: ACCESS CONTROL FOR RESIDENCE GROUNDS
TAGS: ABLD, AFSP, ASEC
To: STATE
Type: TE
vdkgvwkey: odhc://SAS/SAS.dbo.SAS_Docs/1efb576c-c288-dd11-92da-001cc4696bcc
Review Markings:
Sheryl P. Walter
Declassified/Released
US Department of State
EO Systematic Review
20 Mar 2014
Markings: Sheryl P. Walter Declassified/Released US Department of State EO Systematic Review 20 Mar 2014